











PROGRAMMABLE
ELECTRONIC PRE-INFUSION
Allows control with 0.1 second obsergne
of the flow of water that wets the coffee
bed, with programming of 4 different
profiles for each group.

AISI 3161 STAINLESS STEEL
PORTAFILTER WITH
"COMPETITION FILTER"*
Exclusive Surremo design, with shape
and volume designed to control the best
coffee aromas and fragrances.

and lime scale.

esistance to oxidation

AISI 316L STEEL GROUPS
WITH 17.6 lb / 8 kg PURE STEEL
Exclusive Sanremo design ensure
exceptional thermal stability and

AISI 316L STAINLESS STEEL
STEAM WAND "COOL TOUCH"
Anti-scald wands even in conditions of
prolonged use, fitted with "Latte Ant" **
high-performance steam terminals.

AISI 316L STAINLESS STEEL FREE MOTION STEAM TAPS Flexible control system for producing and dispensing steam.

SYSTEM DISPLAY
Visibility of all the machine functions:
temperatures, pressures and levels.



MIXED INFUSION HOT WATER FOR TEA AND HERBAL TEAS Instantaneous mixing of fresh water and steam for a better chemical and organoleptic quality.

INDEPENDENT ADJUSTMENT OF THE PID INFUSION WATER OF THE PID INFUSION WATER TEMPERATURE 1.5 °C with measured constancy lower than 0.2°C).



HIGH PRESSURE VOLUMETRIC PUMP 79.3 US gal - 300 /h ***
The unique pump quarantes constant pressure in all conditions of machine use prolonged and simultaneous activation of several functions and units).



PRO GRAMMABLE
CUP-HEATER TEMPERATURE
Allows the cups to be kept at the optimum
temperature in the most different
dimatic conditions.



HIGH RESOLUTION
VOLUMETRICS
Deliver greater accuracy and precise programmable dose settings.



ADJUSTABLE HEIGHT
WORK SURFACE
Innovative Samemo "All in one"
suspension system that ollows the
use of cups and glasses of different
shapes and heights.













Optional











PROFESSIONAL
CLEANING CYCLE
Guided procedure for cleaning
the coffee units.














Café Racer



gross weight (with shipping crate)

267 / 148

377 / 171

214/97

265 / 120

units boiler resistance power

units boiler capacity US gal / It cup-heater power

0.264 / 1.0

0.396/1.5

preheating boiler resistance power

preheating boiler capacity

US gal / It

0.264 / 1.0

0.396/1.5

0.165

0.165 3.85

3.85

external pump power

services boiler resistance power

steam boiler capacity

US gal / It

2.11/8


2.64/10


power input voltage

230/240 1N / 380/415 3N

3 group

7.03





Built for free spirits

Sometimes designs come to be to achieve a precise objective; other times to make a dream come true; or to follow an ambition.

But this is our story of a coffee machine conceived in absolute freedom.

No hurry no restraints no obligations:

No hurry, no restraints, no obligations: except to guarantee impeccable performance to baristas all over the world.

Hence the precise and accurate intuition: to enclose the best of Sanremo technology in a sturdy and stylish chassis; like a motorcycle chassis of the legendary café racer.





From the idea, to the design, to the Sanremo R&D team, to SWAT (Sanremo World Academy Team): the project has gone around the world a couple of times. It has been shared with the best operators in the industry and it has become a reality.

Café Racer by Sanremo is a powerful and reliable machine, easy-to-handle, versatile and stylish.

A unique, high performance coffee machine, ready to be desired by all coffee professionals.









With its unmistakable transparent sides, the Naked Café Racer allows you to see its powerful heart of pure stainless steel.

design, supporting and enhancing the essence of the coffee machine. The chassis is a sturdy frame with a functional

The Naked Café Racer is available in 2 finishes: black and steel. in black or red. ••



S Naked Black ■
Black ●

Naked Black Red

















options to fit any character



character, style and personality. A tradition rich in stories, emanating is inspired by café racer motorcycles. with the rear-lit logo. The classic logo design side panels available that are enhanced

| P3

The machines are available in versions with a black or steel chassis,

components. plus an exclusive red finish on some

2

| ಜ




S Freedom Black ■■■
Black | P1 | P2 | P3 | P4 ● ● ● ●

⊘ Freedom SteelBlack | P1 | P2 | P3 | P4 • • • •













CUSTOM

welcome free spirits



Step into the garage: where you can have fun outlitting **your Café Racer**.
Our R&D team is at your disposal to personalize the finishes that

It will be love at first sight.

represent you best.

For example:

The **Dolomiti Café Racer**, completely black edition with black leather sides. . The Renegade Café Racer, with leather sides, a green chassis, bronze finishes and olive wood portafilter handles.








Pre-infusion made to measure


easily navigate the grouphead display




BLEND / A BLEND / B

Examples of different coffee types:

I SINGLE ORIGIN/C fundamental to be able to control the elements of pre-infusion. Every single origin or coffee blend has different requirements. For a perfect and homogeneous extraction of coffee solubles, it is



channeling. delivery and aids in preventing Pre-intusion also allows unitorm for optimal extraction. and prepare the coffee bed Its primary function is to saturate of espresso brewing. Pre-infusion is the first phase



EXTRACTION TIME

PRESSURE INDICATOR

program each group for: Through the display you can easily

PRE-INFUSION

| ESPRESSO profile 1 | profile 3*

- pre-infusion time
- volume of water for extraction
- temperature

For each group you can save

4 different profiles, as well as the continuous dispensing function.

* DOUBLE PRESS > four profiles STANDARD SELECTION > two profiles

INFUSION

Everything under control

system display


A look is all it takes: pressure, volumes with absolute reliability. show real-time values and sensors, which immediately by high-precision electronic are constantly monitored temperature and water levels

programming interface for the maintenance technician. The display is also a handy



The display allows the barista to:

- collect statistics of the number of coffees, check and program the pressure, temperature and water levels
- program days and times for water dispensed, water consumed
- switching on and off
- receive warnings for cleaning washing and component malfunctions
- schedule maintenance
- carry out auto-diagnosis




Foam with an artist's touch


high-pertormance steam tunction



technology, with impeccable performance, to give tree Use the best Sanremo rein to your creativity:

- dedicated steam boiler
- cool-touch steam wand free motion steam taps
- high capacity and fast recovery





coffee machines please contact us at export@sanremomachines.com For more information about our








SANAEMO COFFEEMACHINES







Via Giacomo Bortolan 52 SANREMO coffee machines s.r.l.